

KEEWAY

**RACE MODE
ENGAGED**



RR 300

KEEWAY



BLISTERING PERFORMANCE

The 292cc, 4-stroke, liquid-cooled engine with four valves and EFI delivers 27.5 HP with 25Nm of torque for astonishing power-to-weight performance.



BRILLIANT PRESENCE

An attractive full LED headlight cluster provides attention grabbing presence and excellent visibility.



ALWAYS IN CONTROL

Equipped with 292 Front and 220 rear disc brakes coupled with Dual channel ABS.

R 300

KEEWAY



HIGH PERFORMANCE SUSPENSION

Perfectly set up 46mm centre-aligned mono suspension and a plush fork with hydraulic damping, provide supreme confidence & high-performance handling



MULTI-FUNCTIONAL DISPLAY

User-friendly display offers both sport, & economy modes as well as important ride metrics.



CONQUER THE CORNERS

Multi-plate slipper clutch to maintain pace in the corners while downshifting

RR 300

R 300

TECHNICAL SPECIFICATIONS

ENGINE

Type

Single Cylinder Liquid cooled,
4 Stroke Engine

Displacement

292.4 cc

Power

27.5 HP @8750 rpm

Torque

25 Nm @7000 rpm

Transmission

6-Speed

Drive system

Chain

Bore x stroke

Φ78x61.2 mm

Compression ratio

11.1:1

Ignition

TLI

Fuel supply

EFI

DIMENSIONS

L X W X H

2010×750×1080 mm

Wheelbase

1360 mm

Min Ground Clearance

135 mm

Fuel Tank Capacity

12 Litres

Seat Height

780mm

Kerb weight

165 kg

CHASSIS

Front Suspension

USD shock absorber, 37mm

Rear Suspension

Center Monoshock

Front Brake

Single disc, opposing four-piston
calipers, Φ292mm

Rear Brake

Single disc, single-piston
calipers, Φ220mm

ABS

Dual-Channel

WHEELS

Front Tyre

110/70-17

Rear Tyre

140/60-17

Type

Alloy



GLOSSY BLACK

Priced at ₹ 1.99 Lakh*



GLOSSY RED

Priced at ₹ 1.99 Lakh*



GLOSSY WHITE

Priced at ₹ 1.99 Lakh*

CHOOSE YOUR COLOUR